



FLEXIBLE AND PRECISE SPREADING CAPACITY

The DosiMat DMX Precision Distributor

VOGELSANG
ENGINEERED TO WORK



Suitable for variable spreading capacities

High distribution precision regardless of the spreading capacity


Patented membrane for uniform airflow

Up to 15 kg less weight thanks to the use of new materials

Easy to maintain: easy access to all relevant elements when the cover is open

Optimized cutting performance thanks to new blade contour and torsionally stiff housing

Adapted rotor contour for the most variable spreading capacity combined with the highest distribution accuracy




MAKES EVERY QUANTITY POSSIBLE

DosiMat DMX Precision Distributors

With spreading technology, users not only have to consider the economic efficiency of a machine, but are now also confronted with the stricter legal requirements of the German fertilizer regulations. The new design of the DosiMat DMX precision distributor allows both. There is also a flow-optimized rotor, which provides outstanding distribution precision. Irrespective of whether the DosiMat DMX is distributing small or large spreading capacities, the precision distributor can be used flexibly without reconstruction measures, and shreds and distributes the liquid manure precisely at all times. The DosiMat DMX's easy-to-service design proves just as practical. There are fewer hex-head screw plugs, the housing can be opened quickly and the rotor is easier to access.

SPECIFICATIONS

Number of outlets	8 – 60
Hose diameter	DN 40/DN 50/DN 60



(Only cutting blades shown in yellow, rotor removed)

Advantages of the DosiMat DMX

Plastic housing cover

- Dimensionally stable and slightly curved for more air volume and improved distribution precision
- Reduces the weight of the DosiMat DMX by up to 15 kg

Ventilation

- Automatic regulation of the airflow thanks to a patented membrane
- Ensures uniform flow of the liquid manure into the discharge hoses

Bar or star rotors

- Processing of various spreading capacities without reconstruction measures
- Higher maximum spreading capacity compared with similar models
- Constant high distribution precision irrespective of the flow rate

Cutting blade

- Reliable shredding and homogenization of the liquid manure thanks to optimized cutting contours

Sealing package

- Prevents mixing of hydraulic oil and the medium
- Simple identification of leaks via leakage checks

Ease of service

- Easy-to-service design for simple maintenance of all relevant elements

What we offer

We provide solutions in the following sectors:
AGRICULTURAL TECHNOLOGY, BIOGAS,
INDUSTRY, TRANSPORTATION, WASTEWATER



Our broad range of products and services

- Consulting and service
- Data management and control technology
- Disintegration technology
- Individually tailored solutions for special applications
- Pumps and pump systems
- Solid matter feeders
- Solids reduction, separators and mixers
- Spreading technology
- Supply, disposal and cleaning

Copyright 2018 Vogelsang GmbH & Co. KG

Product availability, appearance, technical specifications and details are subject to continuous development. All information presented here is therefore subject to change. In selected countries, Vogelsang®, ACC®, BioCrack®, BioCut®, CC-Serie®, CFC®, EnergyJet®, HiFlo®, PreMix®, RotaCut®, XTill® and XRipper® are registered trademarks of Vogelsang GmbH & Co. KG, Essen/Oldb., Germany. All rights reserved, including the rights to all graphics and images.

DosiMat DMX_EN_10207718_1000_MET0665 – Printed in Germany

Vogelsang GmbH & Co. KG
Holthoeye 10–14 | 49632 Essen/Oldb. | Germany
Phone: +49 5434 83-0 | Fax: +49 5434 83-10
germany@vogelsang.info

vogelsang.info